Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

September 08, 2017

Dave Blye
Environmental Standards, Inc.
1140 Valley Forge Road
PO Box 810
Valley Forge, PA 19482

RE: Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Dear Dave Blye:
Enclosed are the analytical results for sample(s) received by the laboratory on August 31, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Carol Davy
carol.davy@pacelabs.com
1(612)607-6436
Project Manager

Enclosures

cc: Mark LaRue, Anchor QEA
Meg Michell, Environmental Standards, Inc.
Christopher Yates, Anchor QEA, LLC

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

CERTIFICATIONS

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Minnesota Certification IDs

1700 Elm Street SE, Suite 200, Minneapolis, MN 55414-2485
A2LA Certification #: 2926.01
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: UST-078
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014
Arkansas Certification #: 88-0680
California Certification #: MN00064
CNMI Saipan Certification #:MP0003
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8+Wyoming Certification #: via MN 027-053-137
Florida Certification #: E87605
Georgia Certification #: 959
Guam EPA Certification #: MN00064
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: 03086
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064
Maryland Certification #: 322
Massachusetts Certification #: M-MN064
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137
Mississippi Certification #: MN00064
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081
New Jersey Certification #: MN002
New York Certification #: 11647
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification #: CL101
Oklahoma Certification #: 9507
Oregon NwTPH Certification #: MN300001
Oregon Secondary Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192
Utah Certification #: MN00064
Virginia Certification #: 460163
Washington Certification #: C486
West Virginia DW Certification #: 9952 C
West Virginia DEP Certification #: 382
Wisconsin Certification #: 999407970
Wyoming via EPA Region 8 Certification #: 8TMS-L

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

SAMPLE SUMMARY

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10401645001	**OWS-SCHU-T170829140554**	Water	08/29/17 11:44	08/31/17 10:05
10401645002	**OWS-THIS-T170829140507**	Water	08/29/17 09:05	08/31/17 10:05
10401645003	**OWS-WAFO-T170829140721**	Water	08/29/17 13:07	08/31/17 10:05

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

SAMPLE ANALYTE COUNT

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10401645001	**OWS-SCHU-T170829140554**	SM 2540D	JFP	1	PASI-M
10401645002	**OWS-THIS-T170829140507**	SM 2540D	JFP	1	PASI-M
10401645003	**OWS-WAFO-T170829140721**	SM 2540D	JFP	1	PASI-M

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

PROJECT NARRATIVE

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Method: **SM 2540D**
Description: 2540D TSS, Low Level
Client: GE_Anchor QEA, LLC
Date: September 08, 2017

General Information:
3 samples were analyzed for SM 2540D. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:
All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 494925

D6: The precision between the sample and sample duplicate exceeded laboratory control limits.
- DUP (Lab ID: 2691596)
  - Total Suspended Solids

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Sample: OWS-SCHU-T170829140554 **Lab ID: 10401645001** Collected: 08/29/17 11:44 Received: 08/31/17 10:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
2540D TSS, Low Level	Analytical Method: SM 2540D								
Total Suspended Solids	**1.4**	mg/L	0.98	0.49	1		09/05/17 11:32		

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Sample: OWS-THIS-T170829140507 **Lab ID: 10401645002** Collected: 08/29/17 09:05 Received: 08/31/17 10:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
2540D TSS, Low Level	Analytical Method: SM 2540D								
Total Suspended Solids	**1.5**	mg/L	1.1	0.54	1		09/05/17 11:32		D6

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

ANALYTICAL RESULTS

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Sample: OWS-WAFO-T170829140721 **Lab ID: 10401645003** Collected: 08/29/17 13:07 Received: 08/31/17 10:05 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
2540D TSS, Low Level	Analytical Method: SM 2540D								
Total Suspended Solids	**3.9**	mg/L	0.97	0.48	1		09/05/17 11:32		

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

QC Batch: 494925 Analysis Method: SM 2540D
QC Batch Method: SM 2540D Analysis Description: 2540D TSS, Low Level
Associated Lab Samples: 10401645001, 10401645002, 10401645003

METHOD BLANK: 2691594 Matrix: Water
Associated Lab Samples: 10401645001, 10401645002, 10401645003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Suspended Solids	mg/L	<1.0	1.0	0.50	09/05/17 11:32	

LABORATORY CONTROL SAMPLE: 2691595

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Suspended Solids	mg/L	100	106	106	80-120	

SAMPLE DUPLICATE: 2691596

Parameter	Units	10401645002 Result	Dup Result	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	1.5	1.3	13	10	D6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALIFIERS

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M	Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

D6	The precision between the sample and sample duplicate exceeded laboratory control limits.

Pace Analytical Services, LLC
1700 Elm Street - Suite 200
Minneapolis, MN 55414
(612)607-1700

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Hudson River Remedial Action M
Pace Project No.: 10401645

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10401645001	**OWS-SCHU-T170829140554**	SM 2540D	494925		
10401645002	**OWS-THIS-T170829140507**	SM 2540D	494925		
10401645003	**OWS-WAFO-T170829140721**	SM 2540D	494925		

10401645

ANCHOR QEA

305 West Grand Avenue Montvale, NJ 07645 Ph: 201-930-9890

Client: General Electric Company

ENVIRONMENTAL SAMPLE CHAIN OF CUSTODY

Project: Hudson River Remedial Action Monitoring Program - Resuspension Monitoring

COC ID: COC170829141109PACE
Sample Custodian: CCY
Lab: PACE

COC Sample Number	Field Sample ID	QA/QC	Matrix **	Date Collected	Time Collected	Media*	# Containers	TEST REQUESTED	METHOD	MS	MSD	LD	Turn Around Time (hrs)	Preservative
001	OWS-SCHU-T170829140554	ENV	W	08/29/2017	11:44	W	1	[redacted]						
								Total Suspended Solids	SM 2540D	N	N	N	504	4degC
002	OWS-THIS-T170829140507	ENV	W	08/29/2017	09:05	W	2	[redacted]						
								Total Suspended Solids	SM 2540D	N	N	Y	504	4degC
003	OWS-WAFO-T170829140721	ENV	W	08/29/2017	13:07	W	1	[redacted]						
								Total Suspended Solids	SM 2540D	N	N	N	504	4degC

001
002
003

Comments:

Relinquished by:	Received by:	Relinquished by:	Received by:	Relinquished by:	Received by:
Signature	Signature	Signature	Signature	Signature VIA FED EX →	Signature
Print Name Lucia Yats	Print Name M. Booker	Print Name	Print Name L. Butler	Print Name L. Butler	Print Name Shyrea Davis
Company AQEA	Company PACE	Company PACE	Company PACE T:0.2°C	Company PACE	Company PACE
Date/Time 8/29/17 1600	Date/Time 8/30/17 950	Date/Time 8/30/17 10:35	Date/Time 8/30/17 10:35	Date/Time 8/30/17 16:00	Date/Time 8/31/17 10:05

Date Printed: 8/29/2017

* S= SEDIMENT, W= WATER, PW= PORE WATER

** W = Total/Whole, D = Dissolved, R = Residue, S = Sediment

Page 1 of 1

T= 1.2°C

Pace Analytical	Document Name: **Sample Condition Upon Receipt Form - ESI**	Document Revised: 30Aug2017 Page 1 of 2
	Document No.: **F-MN-L-210-rev.23**	Issuing Authority: Pace Minnesota Quality Office

Sample Condition Upon Receipt – ESI Tech Specs

Client Name: GE

Project #: WO# : 10401645

10401645

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ SpeeDee ☐ Other:

Tracking Number: 7359-2388-7919

Custody Seal on Cooler/Box Present? ☐ Yes ☒ No **Seals Intact?** ☐ Yes ☒ No

Optional: Proj. Due Date: Proj. Name:

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other: PB **Temp Blank?** ☒ Yes ☐ No

Thermometer Used: ☒ 151401163 ☐ G87A9155100842 **Type of Ice:** ☒ Wet ☐ Blue ☐ None ☐ Samples on ice, cooling process has begun

Cooler Temp Read (°C): 1.7 **Cooler Temp Corrected (°C):** 1.2 **Biological Tissue Frozen?** ☐ Yes ☐ No ☒ NA

Temp should be above freezing to 6°C **Correction Factor:** -0.5 **Date and Initials of Person Examining Contents:** 8/31/17 SD

USDA Regulated Soil (☒ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA. MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? ☐ Yes ☐ No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☐ No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

				COMMENTS:
Chain of Custody Present?	☒ Yes	☐ No		1.
Chain of Custody Filled Out?	☒ Yes	☐ No		2.
Chain of Custody Relinquished?	☒ Yes	☐ No		3.
Sampler Name and/or Signature on COC?	☒ Yes	☐ No	☐ N/A	4.
Samples Arrived within Hold Time?	☒ Yes	☐ No		5.
Short Hold Time Analysis (<72 hr)?	☐ Yes	☒ No		6.
Rush Turn Around Time Requested?	☐ Yes	☒ No		7.
Sufficient Volume (triple volume provided for MS/MSD)?	☒ Yes	☐ No		8.
Correct Containers Used? -Pace Containers Used?	☒ Yes ☒ Yes	☐ No ☐ No		9.
Containers Intact?	☒ Yes	☐ No		10.
Filtered Volume Received for Dissolved Tests?	☐ Yes	☐ No	☒ N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels Match COC? -Includes Date/Time/ID/Analysis Matrix: WT	☒ Yes	☐ No		12.
All containers needing acid/base preservation have been checked?	☐ Yes	☐ No	☒ N/A	13. ☐ HNO_3 ☐ H_2SO_4 ☐ NaOH Positive for Res. Chlorine? Y N
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO_3, H_2SO_4, NaOH>9 Sulfide, NaOH>12 Cyanide)	☐ Yes	☐ No	☒ N/A	Sample #
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water) and Dioxin. Per method, VOA pH is checked after analysis	☐ Yes	☐ No	☒ N/A	Initial when completed: Lot # of added preservative:
Headspace in VOA Vials (>6mm)?	☐ Yes	☐ No	☒ N/A	14.
3 Trip Blanks Present?	☐ Yes	☐ No	☒ N/A	15.
Trip Blank Custody Seals Present? Pace Trip Blank Lot # (if purchased):	☐ Yes	☐ No	☒ N/A	

CLIENT NOTIFICATION/RESOLUTION **Field Data Required?** ☐ Yes ☐ No

Person Contacted: Date/Time:

Comments/Resolution:

Temp Log: Temp must be maintained at <6°C during login, record temp every 20 mins		
Opened Time: 15:24 Temp: 1.7	Corrected Temp: 1.2	
Time: put in cooler		
Time: 1531 Temp: 1.7	Corrected Temp: 1.2	

Project Manager Review: Carol Doug **Date:** 8/31/17

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

Analytical Data Package

Prepared by:

Pace Analytical Services

Pace Project No.: 10401645

Table Of Contents

SAMPLE NO.

OWS-SCHU-T170829140554

FORM I INORGANIC-1

INORGANIC ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract: Hudson River Remedial Action

Lab Sample ID: 10401645001 Percent Moisture:

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Total Suspended Solids	1.4		mg/L	1	09/05/2017 11:32

SAMPLE NO.

OWS-THIS-T170829140507

FORM I INORGANIC-1

INORGANIC ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract: Hudson River Remedial Action

Lab Sample ID: 10401645002 Percent Moisture:

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Total Suspended Solids	1.5		mg/L	1	09/05/2017 11:32

SAMPLE NO.

OWS-WAFO-T170829140721

FORM I INORGANIC-1

INORGANIC ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract: Hudson River Remedial Action

Lab Sample ID: 10401645003 Percent Moisture:

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Total Suspended Solids	3.9		mg/L	1	09/05/2017 11:32

FORM III INORGANIC-1

BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract : Hudson River Remedial Action M

Method Blank Matrix: Water Instrument ID: 10WET4

Method Blank Concentration Units: mg/L

Analyte	Initial Calibration Blank		Continuing Calibration Blank						Method Blank	
		C		C		C		C	2691594	C
Total Suspended Solids									<1.0	U

SAMPLE NO.

2691596DUP

FORM VI INORGANIC-1
DUPLICATES

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract: Hudson River Remedial Action

Matrix: Water Concentration Units: mg/L

Percent Moisture: Basis: Wet

Analyte	Control Limit	Sample	Duplicate	RPD
Total Suspended Solids	10	1.5	1.3	13*

* RPD outside QC Limits

SAMPLE NO.

2691595LCS

FORM VII INORGANIC-1
LABORATORY CONTROL SAMPLE

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract: Hudson River Remedial Action

Matrix: Water

Analyte	Units	True	Found	%R	Limits	
Total Suspended Solids	mg/L	100	106	106	80	120

FORM IX INORGANIC-1
METHOD DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract: Hudson River Remedial Action M

Preparation Method: SM 2540D Instrument ID: 10WET4

Concentration Units: mg/L

Analyte	PQL	MDL	MDL Date
Total Suspended Solids	2.0	1.0	04/01/2015

FORM XII INORGANIC-1
PREPARATION LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract: Hudson River Remedial Action M

Preparation Method: SM 2540D Batch: WET 55178

Lab Sample ID	Sample Name	Preparation Date	Initial Volume (mL)	Final Volume (mL)
2691594	2691594	09/05/2017	1000	500
2691595	2691595	09/05/2017	1000	500
2691596	2691596	09/05/2017	1046	500
10401645001	OWS-SCHU-	09/05/2017	1025	500
10401645002	OWS-THIS-	09/05/2017	920	500
10401645003	OWS-WAFO-	09/05/2017	1033	500

FORM XIII INORGANIC-1

ANALYSIS RUN LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10401645 Contract: Hudson River Remedial Action M

Instrument ID: 10WET4 Analysis Method: SM 2540D

Start Date: 09/05/2017 11:32 End Date: 09/05/2017 11:32

Sample Name	Lab Sample ID	D/F	Date	Time	tssw
2691594BLANK	2691594	1	09/05/2017	11:32	X
2691595LCS	2691595	1	09/05/2017	11:32	X
2691596DUP	2691596	1	09/05/2017	11:32	X
OWS-SCHU-T170829140554	10401645001	1	09/05/2017	11:32	X
OWS-THIS-T170829140507	10401645002	1	09/05/2017	11:32	X
OWS-WAFO-	10401645003	1	09/05/2017	11:32	X

Prep Log Report

Batch Information: WET 55178 TSS LL

Template Version: F-MN-I-326-Rev.03 (24Jan2017)

Analysis Method	SM 2540D	Analyzed By	JFP	Instrument	10WET4	Acceptance Range:	103-105 C
Oven ID	10WET77	Thermometer ID	2113652	Oven Temp Correction Factor	-1	Oven Temp In1 | Corr | Date/Time | Init	106.0 | 105.0 | 09/05/2017 11:32 | JFP
Oven Temp Out1 | Corr | Date/Time | Init	104.0 | 103.0 | 09/05/2017 12:37 | JCY	Desic. In 1 ID | Date/Time | Init	7 | 09/05/2017 12:37 | JCY	Desic. Out 1 Date/Time | Init	09/05/2017 14:19 | JCY	Oven Temp In2 | Corr | Date/Time | Init	106.0 | 105.0 | 09/05/2017 14:24 | JCY
Oven Temp Out2 | Corr | Date/Time | Init	106.0 | 105.0 | 09/05/2017 15:30 | JCY	Desic. In 2 ID | Date/Time | Init	7 | 09/05/2017 15:30 | JCY	Desic. Out 2 Date/Time | Init	09/05/2017 16:13 | JCY	Reviewed By	KEO
Reviewed By Date	09/06/2017 09:57	Batch Notes					

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Select	ID	TSS Final (mg/L)	TSS Posted (mg/L)	Run Date/Time	Initial Volume (mL)	TSS Filters ()	Filter Wt 1 (g)	Filter Use 1	Oven Wt 1 (g)	Oven Use 1	Oven Wt 2 (g)
2540D WLL	BLANK	**2691594**	Y	G9J09	-0.20000	-0.40000	09/05/2017 11:32	1000	129702 ()	0.1187	M	0.1185	N	0.1185
2540D WLL	LCS	**2691595**	Y	G9J0A	105.50	211.00	09/05/2017 11:32	1000	129702 ()	0.1190	M	0.2246	N	0.2245
2540D WLL	PS	**10401645001**	Y	G9J0B	1.3659	2.8000	09/05/2017 11:32	1025	129702 ()	0.1168	M	0.1182	N	0.1182
2540D WLL	RQS	**10401645002**	Y	G9J0C	1.5217	2.8000	09/05/2017 11:32	920	129702 ()	0.1179	M	0.1192	N	0.1193
2540D WLL	DUP	**2691596**	Y	G9J0D	1.3384	2.8000	09/05/2017 11:32	1046	129702 ()	0.1116	M	0.1131	N	0.1130
2540D WLL	PS	**10401645003**	Y	G9J0E	3.8722	8.0000	09/05/2017 11:32	1033	129702 ()	0.1140	M	0.1180	N	0.1180

QC Rule	Sample Type	Lab Sample ID	Oven Use 2	Oven %Diff 1&2	Oven Wt Diff 1&2	Sample Notes	TS/TDS-SPK (mL)
2540D WLL	BLANK	**2691594**	Y	0.0000	0.0000		
2540D WLL	LCS	**2691595**	Y	0.094742	0.0001		130356 (1000)
2540D WLL	PS	**10401645001**	Y	0.0000	0.0000		
2540D WLL	RQS	**10401645002**	Y	7.4074	0.0001	1*	
2540D WLL	DUP	**2691596**	Y	6.8966	0.0001	2*	

Prep Log Report

10401645

QC Rule	Sample Type	Lab Sample ID	Oven Use 2	Oven %Diff 1&2	Oven Wt Diff 1&2	Sample Notes	TS/TDS-SPK (mL)
2540D WLL	PS	**10401645003**	Y	0.0000	0.0000		

Sample Notes:

1*: Sample taken from BP1U1/2 and has less volume than BP1U2/2

2*: Sample taken from BP1U2/2

Standard Notes:

130356: TS/TSS/TDS Handmade Standard, 10WET4